## UT Administration of Daman & Diu

Office of the Dy. Superintendent of Police,
Police Head Quarter, Dunetha
Daman – 396 210
(Police Department)

No. 105/DSPHQ/DMN/GNL/CCTV Camera/2016/ 20 Dated: - 14 /12/2016

#### CORRIGENDUM

The Tender notice No. 2022/DSPHQ/DMN/GNL/CCTV Camera/2016/502643 Dated: - 30/11/2016 for the procurement of <u>CCTV Camera system</u> for Police premises of Daman District of Police Department of Daman & Diu was published. The following corrigendum in the specification and schedule of <u>CCTV Camera system</u> of may please be read in place of earlier specifications and schedule.

#### TECHNICAL SPECIFICATIONS for CCTV

Description	Old Specifications	Required / New specifications	Remarks/Page
2MP Bullet Fixed outdoor Camera with IR	CMOS, ICR, Olux with IR, 1920x1080: 25fps(P)/30fps(N), 4mm/F1.4 lens H.264/MJPEG, dualstream, IP66/IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, Support	camera should be vandal proof with audio, and IR range should be up to 30 meters weather proof enclose, Lens-2.8 to 12 mm Supportive to	30 meters IR range.
2MP Indoor Camera with IR	1/3" Progressive CMOS, ICR, Olux with IR, 1920x1080: 25fps(P)/ 30fps(N), 4mm/F2.0 lens, H.264+ Optimized Codec, H.264/MJPEG, dualstream, IP66/IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR range: up to 10m, Support on-board storage up to 128GB (SD card not included), Pan:0° ~180°, Tilt: 0°~90°, Support Mobile Monitoring via EZVIZ P2P Audio/Alarm I/O	Olux, with IR,1920x1080:25fps(P)/30fps(N), 3.6mm/4mm varifocal lens H.264/MJPEG, dual-stream, Vandal proof, IP67/IP66, IK10, DC12V &PoE, 120db WDR 3D DNR, BLC, IR Range up to 20m, Support on-board storage up 128GB (SD Card not included), Pan:0 ° ~180°, Tilt: 0° ~90° Onvif P2P, Audio/Alarm I/O, Supportive to Mobile Monitoring	
Network Video	8 Ch & 4 Ch. NVR, Dual OS Design, ANR Technology, H.265/H.264+, 4K NVR, Recording resolution up to 8MP,; 40 Mbps incoming bandwidth & 80 Mbps outgoing bandwidth, SATA Hard Drive shall be having recording storage capability of 30 days	8Ch. NVR dual codec decoding, ANR Technology, H.264/MJPEG dual codec decoding, maximum resolutions for output should 1080P Recording resolution up to 12MP, : 40Mbps incoming bandwidth & 80Mbps Outgoing bandwidth Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0) SATA Hard Drive Shall be having recording storage capability of 30 days footage with voice. Support IPC UPnP, 8PoE ports. Tag video clip,	

Tag video clip, search and playback by tag, Digital zoom on live view and playback, USB to back selected data, Third-party network camera support ONVIE version 2.4  ANR Technology, H.284/M.JPEQ dual codec decoding, maximum resolutions for output should 1680° Recording resolution up bandwidth.  8. 80Mbps Outgoing bandwidth, Support 2.847A. HDDs. up 10 standard 2nd playback, USB to back selected data, Third-party network camera support on the part of the part				
Network Switch 4 Port PoE Layer 2 Switch. 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 58W, Extend On:250m, 10M,CAT 5e, Extend Off:100m.  LED Video Display unit technology with HD 15.6" with 36.7M Color, VGA speakers for and HDMI Port, monitoring all AC100 ~ 240V, 50 Cameras Cat-6 Cable wire in Mtrs 4TB Surveillance HDD  Earlier it was not in the tender document.  Earlier it was not in tender document.  Earlier it was not i	Dig viev US self par	playback by tag, ital zoom on live wand playback, B to back up ected data, Third-ty network camera oported	Digital zoom on live view and playback, USB to back selected data, Third- Party network Camera support ONVIF Version 2.4 Conformance  4Ch. NVR dual codes decoding, ANR Technology, H.264/MJPEG dual codes decoding, maximum resolutions for output should 1080P Recording resolution up to 5MP, 40Mbps incoming bandwidth & 80Mbps Outgoing bandwidth, Support 2 SATA HDDs up to 8TB, 2 USB(1 USB3.0) SATA Hard Drive Shall be having recording storage capability of 30 days footage with voics. Support IPC UPnP, 4PoE ports. Tag video clip, search and playback by tag, Digital zoom on live view and playback, USB to back selected data, Third- Party network Camera support ONVIF Version 2.4	
Description	4 Port PoE Layer 2 Switch.	100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 58W, Extend On:250m,	NOT REQUIRED	The state of the s
Cat-6 Cable wire in Mtrs  4TB Surveillance HDD  Earlier it was not in the tender document.  Earlier it was not in the tender document.  Earlier it was not in tender document.  Earlier it was not in tender document.  Earlier it was not in the tender document.  Formatted capacity 4TB, Form Factor: 3.5 inch, Data transfer rate (max) Buffer to host to	LED Video Display unit 15.6" with speakers for monitoring all	Off:100m.  15.6" LED backlift technology with HD 16.7M Color, VGA and HDMI Port AC100 ~ 240V, 50	Monitor Type: LED Size: 39.5 cm (15.6) Additional Features: Wall Mount	Page No. 18
ATB Surveillance HDD  Earlier it was not in the tender document.  Earlier it was not in tender document.  Earlier it was not in tender document.  Earlier it was not in tender document.  Formatted capacity 4TB, Form Factor: 3.5 inch, Data transfer rate (max) Buffer to host to/from drive (sustained): 6Gb/s 150MB/s, Cache (MB) 64 Performance class: 5400 RPM Class, load/upload cycles 4: 300000, Temperature (°C, on the base casting) Operating Non-operating: 0 to 65 – 40 to 70  H280mm XW600mm D 450mm with fan/4 socket PDU/fan and Hardware Screw Set.  HDPE Pipe  Earlier it was not in 25MM HDPE with supply & Now Included		Standard Cat - 6		Page No. 18
the base casting) Operating Non-operating: 0 to 65 – 40 to 70  4 U Rack  Earlier it was not in tender document.  HDPE Pipe  Earlier it was not in 25MM HDPE with supply & Now Included	4TB Surveillance	Earlier it was not it	Formatted capacity 4TB, Form Factor: 3.5 inch, Data transfer rate (max) Buffer to host to/from drive (sustained): 6Gb/s 150MB/s, Cache (MB) 64 Performance class: 5400 RPM Class, load/upload cycles 4:	
HDPE Pipe Earlier it was not in 25MM HDPE with supply & Now Included	4 U Rack	Tourist I in the same of the	the base casting) Operating Non-operating: 0 to 65 - 40 to 70 In H280mm XW600mm D 450mm	Now Included
	HDPE Pipe	Earlier it was not	Hardware Screw Set. in 25MM HDPE with supply &	

## CORRIGENDUM SCHEDULE

COMMERCIAL / PRICE SCHEDULE FOR SUPPLY INSTALLATION, TESTING AND COMMISSIONING OF CCTV CAMERAS AND SURVEILLANCE SYSTEM FOR THE POLICE DEPARTMENT OF DAMAN AND DILL (ILT.)

THE RESERVE THE PERSON NAMED IN	IMENI OF DAMAN AND DIU (U.I.)			
	Name of the item required for the		Rate per unit	Total Amount
140	CCTV Camera System	Quantity required		
01	2MP DOME Camera with IR and	16 Nos.		
02	2MP Bullet Camera with IR and Audio as per the specification mentioned.	06 Nos.		
03	4 Channel Network Video Recorder (NVR) with keyboard and mouse with 30 days recording storage capacity SATA Hard Drive	07 Nos.		
04	8 Channel Network Video Recorder (NVR) with keyboard and mouse with 30 days recording storage capacity SATA Hard Drive			
05	LED Video Display unit 15.6"	10 Nos.		
06	Cat-6 Cable wire in Mtrs	For this item rate per meter to quoted and payment will be made of actual use		
07	4TB Surveillance HDD	10 Nos.		
08	4 U Rack	10 Nos.		3 12
09	HDPE Pipe	For this item rate per meter to quoted and		
		payment will be made of actual		

Dy. Superintendent of Police (HO)
Police Head Quarters,
Airport road, Dunehta
Nani Daman – 396 210

# Signature of the Supplier's with seal

- 1. Where this office does not specify name of the company/mark and rate should be quoted only for the first class and standard quality as per above specification.
- 2. The above rate includes set-up and configuration charges of CCTV, NVR, LED and cable laying. No separate charge or cost will be paid.
- 3. Word "EZVIZ" has been omitted from the specification and the said item is deleted
- 4. The same is available on the website on www.daman.nic.in and www.daman.nic.
- 5. Commercial / Price Bid shall be filled in above shown corringended schedule proforma.
- 6. The last date for submission of bid may please be read as 27/12/2016 instead of 20/12/2016.
- 7. Specifications shown in <u>Bold with underline</u> are changes in the specification and shall be read with these changes and this may please be noted for compliance.

Dy. Superintendent of Polica, (All Police Head Quarters, Airport road, Dunehta Nani Daman – 396 210

- 1. All Head of Offices Daman for wide Publicity.
- 2. Copy to all reputed firms / agencies/ manufacturer for information and necessary action.